Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	dynamic$4 near3 (add$3 remov$3) same reader same (input output i/o) and access$4 same authoriz$6 and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:28
L3	2	dynamic$4 near3 (add$3 remov$3) same reader same (input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:29
L6	728	(add$3 remov$3) with reader with (input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:30
L5	1341	(add$3 remov$3) with reader same (input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:30
L4	6	dynamic$4 with (add$3 remov$3) same reader same (input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:30
L7	10	(add$3 and remov$3) with reader with (input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:32
L8	39	(add$3 insert$4) with remov$3 with reader with (input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:33
L9	3	((add$3 insert$4) with remov$3) near3 reader with (input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:34
L10	10	((add$3 insert$4) with remov$3) near5 reader with (input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:35
L12	2761	((add$3 insert$4) with remov$3) near5 (reader input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:36

L11	0	((add$3 insert$4) with remov$3) near5 (reader with (input output i/o)) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:36
L14	11	(dynamic$4 near3 (add$3 insert$4) with remov$3) near5 (reader input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:38
L18	36	((add$3 insert$4) with remov$3) near5 reader same (input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:39
L16	0	(dynamic$4 near3 (add$3 insert$4) with remov$3) near5 (input output i/o) same reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:39
L15	0	(dynamic$4 near3 (add$3 insert$4) with remov$3) near5 reader same (input output i/o) and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 09:39
L17	8	((add$3 insert$4) with remov$3) near5 (input output i/o) same reader and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:02
L20	355	personality adj module and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:03
L19	366	personality near module and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:03
L22	16	personality adj module and client same server and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:04
L21	1	personality adj module same client same server and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:05

L23	1	personality adj module same client same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:06
L24	1	personality near module same client same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:26
L26	20	"710"/$ and personality near module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:27
L30	2	"700"/$ and personality near module and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:28
L25	28	"709"/$ and personality near module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:28
L29	3	"710"/$ and personality near module and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:29
L33	0	"700"/$ and personality near module same (client and server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:32
L28	13	"709"/$ and personality near module and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:32
L34	1	personality near module same (client and server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:33
L31	1	"709"/$ and personality near module same (client and server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:33

L38	1	"715"/$ and personality near module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:40
L37	12	"713"/$ and personality near module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:40
L36	1	"715"/$ and personality near module same (client and server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:40
L35	1	"713"/$ and personality near module same (client and server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:40
L32	0	"710"/$ and personality near module same (client and server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:40
L27	8	"700"/$ and personality near module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:40
L39	0	700/83 and personality and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:43
L40	14	"700"/$ and personality and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:45
L41	2	"700"/$ and personality same (client server) and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:46
L42	9	"709"/$ and personality same (client server) and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:47

L44	1	"713"/$ and personality same (client server) and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:48
L43	1	"710"/$ and personality same (client server) and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:48
L47	5	"705"/$ and personality same (client server) and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:50
L45	1	"715"/$ and personality same (client server) and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:50
L46	9	third near party and personality same (client server) and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 10:58
L48	25	third near party and personality and database and (client server) and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:13
L49	4	third near party same database same (client server) and personality and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:14
L50	22	third near party and database same (client server) and personality and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:21
L52	12	third near party and (user near interface display touch$5) same database same (client server) and personality and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:22
L51	22	(user near interface display touch$5) and third near party and database same (client server) and personality and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:22

L56	0	705/18 and personality and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:33
L55	0	705/17 and personality and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:33
L54	0	705/16 and personality and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:33
L53	23	third near party and database and (user near interface display touch$5) same (client server) and personality and (@ad<"20021121" @rlad<"20021121") and @pd>"20050401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:33
L57	3	705/18 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:34
L58	4	705/17 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:35
L62	2	705/22 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:36
L61	7	705/21 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:36
L60	1	705/20 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:36
L59	6	705/16 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:36

L65	24	705/28 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:37
L64	5	705/25 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:37
L63	4	705/23 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:37
L66	1	715/866 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:38
L71	2	715/740 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:39
L70	1	715/747 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:39
L69	0	715/746 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:39
L68	1	715/745 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:39
L67	2	715/744 and personality and (@ad<"20021121" @rlad<"20021121")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:39